CUMULATIVE SUBJECT INDEX

Journal of Economic Entomology,
Volume 79, 1986

Abamectin, cucurbits, 943
  feeding inhibition, 943
Abamectin, *Acalymma vittatum*, 943
Acalymma vittatum, abamectin, 943
  cucurbits, 943
  drip irrigation, 1330
  feeding inhibition, 943
  Heterorhabditis sp., 1330
  horticultural crops, 1330
  Neoaplectana carpocapsae, 1330
Acarapis woodi, dissection, 1401
  tracheal mite diagnosis, 1401
Achene damage, *Helianthus annuus*, 355
Acrobasis nuxvorella, *Curculio caryae*, 1653
  pecan, 1653
Acrosternum hilare, corn, 1254
  Euschistus servus, 1254
  Euschistus variolarius, 1254
  feeding activity, 1254
Aculops lycopersici, Eriophyidae, 940
  tomato, 940
Acyrthosiphon pisum, alfalfa, 785
  economic injury level, 1681
  pea, 1681
  population development, 1681
  yield loss, 1681
Adelges piceae, Christmas trees, 1676
  insect control, 1676
  phytotoxicity, 1676
Adult feeding, *Diabrotica virgifera virgifera*, 1609
  plant/insect interaction, 1609
  silk damage, 1609
Adult sample values, *Diabrotica* population, 303
Adult size, diapause, 974
  Megachile rotundata, 974
  mortality, 974
  temperature, 974
Aedes aegypti, *Aedes triseriatus*, 1703
  harmonics, 1703
  insect flight monitor, 1703
Aedes triseriatus, *Aedes aegypti*, 1703
  harmonics, 1703
  insect flight monitor, 1703
Aerial and ground sprays, drift comparisons, 459
Aerial density, aggregation pheromone, 1134
  Rhyzopertha dominica, 1134
  trapping, 1134
Aggregation pheromone, aerial density, 1134
  Rhyzopertha dominica, 1134
  trapping, 1134
Agricultural pests, biological control, 857
Agricultural research, remotely piloted vehicle, 857
Agromyza frontella, alfalfa, 988
  economic injury level, 988
  leaf mines, 988
Agrotis ipsilon, cotton, 840
  feeding dynamics, 840
  treatment thresholds, 840
Ahasverus advena, sorbic acid, 805
Aldicarb, cotton, 1118
  growth response, 1118
Alfalfa, *Acyrthosiphon pisum*, 785
  Agromyza frontella, 988
  Amara cupreolata, 1334
  Everthrus sodalis, 1334
  economic injury level, 988
  ground beetle, 1334
  Harpalus pennsylvanicus, 1334
  Hypera postica, 212, 769, 785, 1055, 1334
  insect/weed interactions, 1507
  leaf mines, 988
  Medicago sativa, 1507
  Osmia sanrafaelae, 384
  Peridroma saucia, 1507
  Peridroma saucia, 769
  plant stress, 1507
  predation, 1334
  Setaria sp., 1507
  Sitona hispidulus, 1055
  Sitona hispidulus, 506
  soil-borne organisms, 1055
  stubble defoliation, 1507
  stubble defoliation, 769
Alfalfa damage, *Empoasca fabae*, 779
Alfalfa planting dates, *Hypera postica*, 790
Alfalfa resistance, *Empoasca fabae*, 421
Alfalfa stem resistance, *Empoasca fabae*, 1249
  rumen fluid, 1249
Amara cupreolata, alfalfa, 1334
  Everthrus sodalis, 1334
  Harpalus pennsylvanicus, 1334
  Hypera postica, 1334
  predation, 1334
Amblyomma americanum, beef calves, 141
  cattle forage areas, 122
  deer exclusion, 679
  density perturbation, 122
  economic damage, 141
  economic thresholds, 141
  flooding, 1555
  herbicides, 122
  survival, 1555
  vegetation management, 122
Ameiois transitella, controlled atmosphere, 1303
  fumigation, 1299
  low oxygen, 1303
  Plodia interpunctella, 1303
  pistachio nuts, 1299
  relative humidity, 1303
  residues, 1299
  temperature, 1303
Anastrepha ludens, grapefruit, 172
  methyl bromide, 172
Anastrepha suspensa, control, 706
  hot-water treatment, 706
  mangos, 706
  quarantine treatment, 706
Anomala orientalis, bendiocarb response, 452
  chlorpyrifos response, 452
  isofenphos response, 452
Ant control, *Pogonomyrmex maricops*, 1632
Anthonomus grandis, cotton, 1662
  insect control, 1662
Anthonomis grandis grandis, cotton, 79
  cotton squares, 1188
  cultural control, 378
  diet, 1484
  ecdysteroid, 79
  feeding bioassay, 882
  gamma radiation, 1484
  insect rearing, 900
  irradiated vs. normal, 76
  locomotor activity, 1188
  migrant, 1206
  narrow-row spacing, 378
  pheromone, 1240
  respiration, 1206
  row direction, 378
  seasonal variation, 1206
  semiochemicals, 882
  small field plots, 76
  sterile release methods, 79
  sterile vs. normal, 79
  sterile, 76, 79
  sterility, 1484
  sterilization, 1240
  sucrose diets, 1118
  visual sensitivity, 900
Antibiosis, *Blissus insularis*, 1073
  bioassay, 1637
  corn, 1390
  feeding response, 1390
  host plant resistance, 1073
  insect resistance, 1073
  larval development, 1637
  nonpreference, 1390
  plant resistance, 1637
  Spodoptera frugiperda, 1390, 1637
Anticarsia gemmatalis, estimating trap catches, 289
  monitoring adults, 289
  pheromone trapping system, 289
Aonidiella aurantii, *Aphytis melinus*, 1161
  biological control, 1161
  citrus, 1161
  pesticide resistance, 1161
Aphis pomi, *Aphis pomi*
  control spray timing, 471
  density effect on apples, 471
  economic injury levels, 471
  fruit quality, 471
  timing control sprays, 471
Aphytis melinus, *Aonidiella aurantii*, 1161
  biological control, 1161
  citrus pesticide toxicity, 311
  citrus, 1161
  pesticide resistance, 1161
  pesticides, 281
Apis mellifera, cotton pollen, 103
  gossypol, 103
  package production, 952
  pesticides, 1200
  poisoning, 1200
  polychlorinated biphenyls, 1200
  topical insecticides, 18
  two-queen management, 952
Apple, monitoring, 1666
  Orthosia hibisci, 1497
  Phyllonorycter blancardella, 1666
  pheromone trap, 1666
  pheromone trapping, 1497
Apple damage, *Ostrinia nubilalis*, 359
Apple susceptibility, *Ostrinia nubilalis*, 359
Apples, organo-tin resistance, 1477
  Tetranychus urticae, 1477
Argasidae, colonization, 999
  Otobius megnini, 999
  tick rearing, 999
Argyrotaenia citrana, overwintering, 1524
  Rubus spp., 1524
Artificial diets, *Heliothis zea*, 1707
  protein selection, 1707
Artificial infestation, cotton, 1671
  host/plant resistance, 1671
  Pectinophora gossypiella, 1671
  temperature, 1671

Artificial selection, *Cotesia melanoscela*, 1212
  host suitability, 1212
  Lymantria dispar, 1212
Asparagus, *Brachycorynella asparagi*, 1617
  Brachycorynella asparagi, 817
  chemigation, 1617
  drip irrigation, 1617
Avermectin, *Musca domestica*, 562
  resistant insects, 562
Avermectin B_1, contact toxicity, 197
  ingestion, 197
  piperonyl butoxide potentiation, 197
Azinphosmethyl resistance, *Choristoneura rosaceana*, 329

Bacillus thuringiensis, biological control, 1692
  chemical control, 1692
  common beans, 1692
  remotely piloted vehicles, 709
  selective control, 250
Bacillus thuringiensis spp. *israelensis*, crystal protein, 1287
  entomopathogen, 1287
  immunoassay, 1287
Bacillus thuringiensis var. *kurstaki*, exotoxin, 1443
  potentiation, 1443
  Spodoptera exigua, 1443
  thuringiensin, 1443
Bait, *Solenopsis invicta*, 1404
  sugarcane, 1404
Bean, resistance mechanisms, 484
Bemisia tabaci, adult activity on cotton, 350
  cotton-leaf crumple, 208
  cotton oviposition preference, 350
  Euseius scutalis, 659
  fenpropathin and petroleum oil, 596
  modeling, 1235
  plant disease, 1235
  population densities, 67
  seasonal activity, 67
  seasonal trap counts, 67
  southeastern California, 67
  vectors, 1235
Benzoylphenylurea, *Platynota stultana*, 753, 759
Beta-exotoxin, *Geocoris punctipes*, 592
Binomial distribution, Poisson distribution, 887
  quarantine, 887
Bioassay, antibiosis, 1637
  irritability, 1472
  larval development, 1637
  plant resistance, 1637
  Spodoptera frugiperda, 1637
  Tetranychus urticae, 1472
Biological control, *Aonidiella aurantii*, 1161
  Aphytis melinus, 1161
  Bacillus thuringiensis, 1692
  chemical control, 1692
  citrus, 1161
  commodity treatment, 1085
  common beans, 1692
  Edovum puttleri, 948
  encyrtid parasites, 891
  granulosis virus, 1085
  greenhouse, 891
  Leptinotarsa decemlineata, 948
  Planococcus citri, 891
  Plodia interpunctella, 1085
  pesticide resistance, 1161
Blatta orientalis, distribution, 431
  pest status, 431
  seasonal abundance, 431
  urban apartments, 431
Blattella germanica, cockroach baits, 1280
  cumulative toxicity, 1613
  insect growth regulator, 1032
  insecticide resistance, 571
  on inactive ships, 338
  Periplaneta americana, 1280
  population effects, 1032
  population growth, 418
  propoxur treatment effects, 338
  propoxur treatment, 418
  propoxur, behavior, 426
  pyrethroid application, 571
  shipboard population movement, 418
  shipboard populations, 418
  temperature, 1613
  ultrasound devices, 1027
  unconfined populations, 338
  Xenopsylla cheopis, 1027
Blissus insularis, antibiosis, 1073
  host plant resistance, 1073
  insect resistance, 1073
Blissus leucopterus, antibiosis, 176
  resistant germ plasm, 42
  sorghum, 176
  sorghum breeding, 42
Blissus leucopterus leucopterus, fecundity, 664
  reproduction, 664
  resistant grain sorghum, 664
  Schizaphis graminum, 1364
  sorghum, 1364
  tillage, 1364
Blueberry, resistance, 1513
  Scapanotopius magdalensis, 1513
Brachycorynella asparagi, asparagus, 817, 1617
  chemigation, 1617
  drip irrigation, 1617
  fixed-number sampling, 817
Bucculatrix thurberiella, cotton, 229

Cabbage, lepidopterous pests, 629
  southwestern Virginia, 629
  Thrips tabaci, 219
Cabbage pest management, insecticide resistance, 1447
  modeling, 1447
  Plutella xylostella, 1447
  pyrethroid, 1447
Cadra cautella, food pouches, 527
  Plodia interpunctella, 936
  sex pheromones, 936
  stored-product insect, 936
Calendar dates, adult flight peaks, 400
  sod webworm, 400
Calocoris norvegicus, epicarp lesion, 395
  pistachio, 395
Cantaloupe, IPM, 266
  sampling methods, 266
Carya illinoensis, *Curculio caryae*, 1397
  cone emergence traps, 1397
  insect pest management, 1397
  sampling insects, 1397
Cattle, *Culicoides variipennis*, 1127
  ear tags, 1127
  fenvalerate, 1127
  Haematobia irritans, 1010
  physiology, 1010, 1294
  Stomoxys calcitrans, 1294
Ceratitis capitata, *Dacus cucurbitae*, 1307
  Dacus dorsalis, 1307
  evaporation rate, 1050
  fruit infestation rate, 1501
  growth, 558
  heat resistance, 700
  host deprivation, 392
  host exposure history, 392
  hot-water immersion, 700
  laboratory mating, 614
  larger egg clutches, 392
  mass production, 864
  mating success, 614
  mortality, 558
  niacin deficiency, 558
  oviposition, 392
  papaya, 1307
  pupation methods, 864
  quarantine, 1307
  Steiner traps, 533
  sterile-insect release method, 1501
  thermal death kinetics, 700
  trapping, 1501
  trimedlure attraction, 98
  trimedlure, 1050
  vitamin requirements, 558
Cerotoma trifurcata, postemergence herbicides, 261
  soybeans, 261
Cetoniinae, attractants, 374
  trapping techniques, 374
Chemical control, *Bacillus thuringiensis*, 1692
  biological control, 1692
  common beans, 1692
  Plutella xylostella, 22
Chemigation, asparagus, 1617
  Brachycorynella asparagi, 1617
  drip irrigation, 1617
Chitin synthesis inhibitors, *Cydia pomonella*, 1624
  toxicity, 1624
Chlorpyrifos, *Delia antiqua*, 736
Choristoneura fumiferana, aminocarb, 31
  antifeedants, 35
  Bacillus thuringiensis, 31
  carbaryl, 31
  citrus limonoids, 35
  control, 726
  development, 31
  fecundity, 31
  fenitrothion, 31
  larvae growth disruptors, 35
  repellency, 1351
  sex pheromone traps, 1351
  Isectran UCEF19, 726
Choristoneura rosaceana, azinphosmethyl resistance, 329
  weight-related insecticide response, 329
Christmas pines, damage and marketing, 192
  Hylobius pales, 192
  weevil damage, 192
Christmas trees, *Adelges picese*, 1676
  insect control, 1676
  phytotoxicity, 1676
Chromaphis juglandicola eggs, binomial sampling, 868
  numerical sampling, 868
  Taylor's Power Law, 868
Citrus, *Aonidiella aurantii*, 1161
  Aphytis melinus, 1161
  ethylene dibromide fumigation, 166
  pesticide resistance, 1161
  limonoids antifeedants, 35
  limonoids *Choristoneura fumiferana*, 35
Clofentezine toxicity, *Tetranychus cinnabarinus* eggs, 479
  Tetranychus urticae eggs, 479
Cochliomyia hominivorax, reproductive failure, 672
  hybrid sterility, 672
Cochylis hospes, insecticide control, 648
  insecticides efficacy, 648
  sunflower, 648
Cockroach baits, *Blattella germanica*, 1280
  Periplaneta americana, 1280
Collards, *Pieris rapae*, 497
  Trichoplusia ni, 497
Colonization, Argasidae, 999
  Otobius megnini, 999
  tick rearing, 999
Color sorter, integrated control programs 877
Commodity treatment, biological control, 1085
  granulosis virus, 1085
  Plodia interpunctella, 1085
Common bean, *Lygus hesperus*, 1069
  oviposition, 1069
  plant resistance, 1069

Common beans, *Bacillus thuringiensis*, 1692
  biological control, 1692
  chemical control, 1692
Computer contouring, estimating crop distribution, 1406
  grid sampling, 1406
Cone emergence traps, *Carya illinoensis*, 1397
  Curculio caryae, 1397
  insect pest management, 1397
  sampling insects, 1397
Confidence interval, hypothesis testing, 1156
  multiple comparisons, 1156
Conjugated diene pheromones, stabilizing pheromones, 922
Conotrachelus schoofi, biology, 490
  control, 490
  life history, 490
  parasites of, 490
  pecans, 490
Contact insecticides, *Lymantria dispar*, 1394
  mechanical barriers, 1394
  population control, 1394
Contarinia sorghicola, adult density on resistant sorghum, 455
  immature development, 833
  insecticidal control, 1091
  nonpreference for resistant sorghum, 455
  oviposition on resistant sorghum, 455
  ovipositional behavior, 530
  plant resistance, 1091
  resistant sorghum, 530
  sorghum, 833, 1091
  Sorghum bicolor, 455
  sorghum resistance, 833
  susceptible sorghum, 530
Control, *Choristoneura fumiferana*, 726
  Delia antiqua, 736
  Hypera postica, 790
  Lygus lineolaris, 721
  Microsiphum avenae, 827
  Rhopalosiphum maidi, 827
  Rhopalosiphum padi, 827
  Schizaphis graminum, 827
  Spodoptera exigua, 714
Controlled atmosphere, *Amyelois transitella*, 1303
  low oxygen, 1303
  Plodia interpunctella, 1303
  relative humidity, 1303
  temperature, 1303
Coptotermes formosanus, Cryptotermes cavifrons, 903
  fumigant efficacy, 903
  Incisitermes schwarzi, 903
  sulfuryl fluoride, 903
Corn, *Acrosternum hilare*, 1254
  antibiosis, 1390
  Euschistus servus, 1254
  Euschistus variolarius, 1254
  feeding activity, 1254
  feeding response, 1390
  in-transit fumigation, 1315
  insect control, 1315, 1595
  irrigation, 1595
  nonpreference, 1390
  Ostrinia nubilalis resistance, 274
  Ostrinia nubilalis, 243, 1595
  Papaipema nebris, 233
  Spodoptera frugiperda, 1390
Cotesia melanoscela, artificial selection, 1212
  host suitability, 1212
  Lymantria dispar, 1212
Cotton, *Agrotis ipsilon*, 840
  Anthonomus grandis, 1662
  aldicarb, 1118
  artificial infestation, 1671
  Bucculatrix thurberiella, 229
  chlordimeform, 238
  Empoasca fabae, 1259
  growth response, 1118
  Heliothis sp., 1430
  Heliothis spp., 1627
  hirsute resistance, 229
  host/plant resistance, 1671
  infestation, 1372
  insect control, 1662
  insecticide termination, 1430
  integrated pest management, 1259
  Lygus lineolaris, 1410
  Pectinophora gossypiella, 229, 1671
  Pseudatomoscelis seriatus, 238, 1372
  pest management, 1430
  photosynthesis reduced, 1217
  plant resistance, 1372
  pyrethroid, 1627
  rearing, 1410
  smoothleaf resistance, 229
  Tetranychus spp., 1217
Cotton-leaf crumple, cotton growth, 208
  cotton seedling infection, 208
  cotton yield, 208
Cotton plant development, row direction, 378
  row spacing, 378
Cotton pollen, *Apis mellifera*, 103
  gossypol, 103
  honey bee avoidance, 103
Cotton production, *Lygus lineolarius*, 797
Cotton squares, *Anthonomus grandis grandis*, 1188
  locomotor activity, 1188
  sucrose diets, 1188
CPV infectivity, cotton foliage surface, 364
  Heliothis virescens, 364
  solar radiation, 364
  temperature, 364
Cryptolaemus montrouzieri, citrus pesticide toxicity, 311
  pesticides, 281
Cryptolestes ferrugineus, density, 1111
  grain, 284
  sampling, 284
  temperature, 1111
  trapping, 1111
  Tribolium castaneum, 1111
  wheat, 1111
Cryptolestes pusillus, sorbic acid, 805
Cryptolestes spp., population fluctuation on oats, 518
Cryptotermes cavifrons, *Coptotermes formosanus*, 903
  fumigant efficacy, 903
  Incisitermes schwarzi, 903
  sulfuryl fluoride, 903
Crystal protein, *Bacillus thuringiensis* spp. *israelensis*, 1287
  entomopathogen, 1287
  immunoassay, 1287
Cryptophlebia suriensis, population fluctuation on oats, 518
Ctenocephalides canis, bioassay, 697
  cyromazine, 697
  larval development, 697
Ctenocephalides felis, insect growth regulators, 135
  insecticide resistance, 132, 1570
  insecticides, 1036
  nylon carpet, 1036
  residential distribution, 135
  sampling, 135
  strain differences, 132
Cucurbits, abamectin, 943
  Acalymma vittatum, 943
  feeding inhibition, 943
Culex pipiens, resistance mechanisms, 1452
Culicoides variipennis, cattle, 1127
  ear tags, 1127
  fenvalerate, 1127
Cumulative toxicity, *Blattella germanica* 1613
  temperature, 1613
Curculio caryae, *Acrobasis nuxvorella*, 1653
  Carya illinoensis, 1397
  cone emergence traps, 1397
  insect pest management, 1397
  pecan, 1653
  sampling insects, 1397
Cydia pomonella, chitin synthesis inhibitors, 1624
  control, 247
  fumigation, 1039
  insect control, 1577
  insect growth regulators, 247
  methyl bromide, 1039
  nontarget pests, 247
  pears, 247
  relationship of infestation factors, 444
  selective control, 250
  toxicity, 1624
  trap catches, 444
  walnut infestation variability, 444
  walnuts, 1577
Cyhexatin resistance, *Tetranychus urticae*, 576
Cylas formicarius elegantulus, monitoring trap, 641
  sex pheromone, 641
Cyromazine, *Ctenocephalides canis*, 697
  insect growth regulator, 697
  Musca domestica, 1192
  resistance, 1192
Cytospora canker, *Synanthedon pictipes*, 537

Dactynotus sp., *Myzus persicae*, 981
  sampling, 981
  tobacco, 981
Dacus cucumiatus, Steiner traps, 533
Dacus cucurbitae, *Ceratitis capitata*, 1307
  Dacus dorsalis, 1307
  heat resistance, 700
  hot-water immersion, 700
  papaya, 1307
  quarantine, 1307
  thermal death kinetics, 700
Dacus dorsalis, *Ceratitis capitata*, 1307
  Dacus cucurbitae, 1307
  heat resistance, 700
  hot-water immersion, 700
  male annihilation, 1580
  papaya, 1307, 1580
  quarantine, 1307
  thermal death kinetics, 700
Dacus neohumeralis, Steiner traps, 533
Dacus tryoni, Steiner traps, 533
Daktulosphaira vitifoliae, insecticide effects, 1096
  survival, 1096
Datana integerrima, remotely piloted vehicles, 709
Decision theory, pest control, 1421
  sampling, 1421
Defoliation, *Popillia japonica*, 1381
  pin oak, 1381
  traps, 1381
Degree-day accumulation models, adult flight peaks, 400
  sod webworm, 400
Delia antiqua, chlorpyrifos, 736
  control, 736
  harvesting, 1606
  larval damage, 1606
  onion fields, 107
  parathion, 107
Delia radicum, flight activity, 54
  oviposition, 54
  rutabagas, 54
Deltamethrin, aerial application, 181
  grasshoppers, 181
Dendroctonus ponderosae, monoterpenes, 1064
  ponderosa pine, 1064
Dendroctonus rufipennis, insecticide treatment, 1121
  white spruce, 1121
Density, *Aphis pomi* EIL, 471
  Aphis pomi on apples, 471
  Cryptolestes ferrugineus, 1111
  Tribolium castaneum, 1111
  temperature, 1111
  trapping, 1111
  wheat, 1111

Dermacentor variabilis, Potomac horse fever, 62
  population activity, 62
  south-central Maryland, 62
Development, *Epilachna varivestis*, 1354
  soybean, 1354
Diabrotica, integrated pest management, 303
  population adult sample values, 303
  population economic injury levels, 303
Diabrotica undecimpunctata, pest management, 1100
  population sampling, 1100
  snap beans, 1100
Diabrotica virgifera virgifera, adult diet, 114
  adult feeding, 1609
  application, 838
  corn, 114
  egg hatch, 838
  larvae, 114
  multiple infestation, 838
  plant/insect interaction, 1609
  silk damage, 1609
Diaeretiella rapae, emergence, 1599
  fecundity, 1599
  insecticide effects, 1599
  patterns *Ostrinia nubilalis*, 978
  patterns seasonal development, 978
Empoasca fabae, alfalfa damage, 779
  alfalfa stem resistance, 1249
  alfalfa, 1249
  antibiosis, 421
  antixenosis, 421
  cotton, 1259
  glandular trichomes, 1230
  host resistance, 1230
  insect behavior, 1230
  integrated pest management, 1259
  Medicago species, 421
  management, 779
  mortality, 741
  potato breeding, 1230
  rumen fluid, 1249
Encyrtid parasites, biological control, 891
  greenhouse, 891
  Planococcus citri, 891
Entomopathogen, application remotely piloted vehicles, 709
  Bacillus thuringiensis spp. *israelensis*, 1287
  crystal protein, 1287
  Heliothis virescens susceptibility, 334
  immunoassay, 1287
Epicarp lesion, pistachio, 395
Epilachna varivestis, development, 1354
  soybean, 1354
Eradication, *Hypoderma bovis*, 1559
  Hypoderma lineatum, 1559
  integrated pest management, 1559
Eriophyidae, *Aculops lycopersici*, 940
  tomato, 940
Erythrosin B, cross resistance, 315
  Musca domestica, 315, 1023
  xanthene dye, 1023
Establishment, *Synanthedon pictipes*, 537
Estimating crop distribution, computer contouring, 1406
  grid sampling, 1406
Estimation, multiple-comparison, 1149
  significance testing, 1149
Ethylene dibromide, lemons, 1044
  oranges, 1044
  residues, 1044
  fumigation citrus, 166
  fumigation dosage, 166
  fumigation packaging, 166
Eucosma sonomana, mating disruption, 1645
Euschistus servus, *Acrosternum hilare*, 1254
  corn, 1254
  Euschistus variolarius, 1254
  feeding activity, 1254
Euschistus variolarius, *Acrosternum hilare*, 1254
  corn, 1254
  Euschistus servus, 1254
  feeding activity, 1254
Euseius scutalis, *Aonidia tabaci*, 659
  predator evaluation, 659
Evaporation rate, *Ceratitis capitata*, 1050
  trimedlure, 1050
Evarthrus sodalis, *Amara cupreolata*, 1334
  alfalfa, 1334
  Harpalus pennsylvanicus, 1334
  Hypera postica, 1334
  predation, 1334
Exotoxin, *Bacillus thuringiensis* var. *kurstaki*, 1443
  potentiation, 1443
  Spodoptera exigua, 1443
  thuringiensin, 1443

Fecundity, *Diaeretiella rapae*, 1599
  emergence, 1599
  insecticide effects, 1599
  insecticides, 909
  Myzus persicae, 1599
  Sitophilus oryzae, 909
  temperature, 909
Feeding, *Agrotis ipsilon*, 840
  rice, 1324
  Spodoptera frugiperda, 1324
Feeding activity, *Acrosternum hilare*, 1254
  corn, 1254
  Euschistus servus, 1254
  Euschistus variolarius, 1254
Feeding inhibition, *Acalymma vittatum*, 943
  abamectin, 943
  cucurbits, 943
Feeding response, antibiosis, 1390
  corn, 1390
  nonpreference, 1390
  Spodoptera frugiperda, 1390
Fenitrothion, insecticide-resistance genetics, 1196
  Oryzaephilus surinamensis, 1196
Fenitrothion resistance, mixed-function oxidase, 896
  Oryzaephilus surinamensis, 896
Fenpropathin, high- and low-volume oil sprays, 596
Fenvalerate, *Culicoides variipennis*, 1127
  cattle, 1127
  ear tags, 1127
Fertilizer, insect control, 1573
  Stomoxys calcitrans, 1573
Field corn, herbivory, 368
  Pseudaletia unipuncta, 368
Fixed-number sampling, *Brachycorynella asparagi*, 817
Flooding, *Amblyomma americanum*, 1555
  survival, 1555
Fluvalinate dip treatments, efficacy, 465
  phytotoxicity, 465
  unrooted foliage cuttings, 465
Food pouches, insect penetration, 527
  permethrin-treated polypropylene, 527
  untreated polyester, 527
Frankliniella fusca, peanut, 1082, 1359
  thrips migrations, 1359
  thrips populations, 1082, 1359
Fruit infestation rate, *Ceratitis capitata*, 1501
  sterile-insect release method, 1501
  trapping, 1501
Fumibotys fumalis, groundnut, 1590
  insect control, 1590
  peppermint, 1590
  soil chemicals, 1590
  tillage, 1590
Fumigant efficacy, *Coptotermes formosanus*, 903
  Cryptotermes cavifrons, 903

Incisitermes schwarzi, 903
sulfuryl fluoride, 903
Fumigation, *Amyelois transitella*, 1299
Cydia pomonella, 1039
methyl bromide, 1039
pistachio nuts, 1299
residues, 1299

Gamma radiation, *Anthonomus grandis grandis*, 1484
diet, 1484
sterility, 1484
Genetic sexing, malathion resistance, 1413
Stomoxys calcitrans, 1413
Geocoris punctipes, bioassays, 592
Glandular trichomes, *Empoasca fabae*, 1230
host resistance, 1230, 1264
insect behavior, 1230
Leptinotarsa decemlineata, 1269
Myzus persicae, 1264
plant resistance, 1269
potato breeding, 1230
potato, 1264
wild potato, 1269
Glischrochilus quadrisignatus, monitor, 654
semiochemical attraction, 654
trap capture, 654
Grain, practical insect sampling, 284
Graminella nigrifrons, conventional tillage corn, 605
densities on corn, 605
field biology, 605
no-tillage corn, 605
Granulosis virus, biological control, 1085
commodity treatment, 1085
Plodia interpunctella, 1085
Grapefruit, methyl bromide, 172
Grapes, *Drosophila melanogaster*, 1621
embryogenesis, 1621
Lobesia botrana, 1621
Grasshoppers, control, 181
deltamethrin, 181
biological control, 891
encyrtid parasites, 891
Pianococcus citri, 891
Grid sampling, computer contouring, 1406
estimating crop distribution, 1406
Ground beetle, pest control, 511
potential alfalfa predator, 511
populations alfalfa, 511
populations tillage influence, 511
Groundsel, *Pumibotys fumalis*, 1590
insect control, 1590
peppermint, 1590
soil chemicals, 1590
tillage, 1590
Growth, diet, 984
Ostrinia nubilalis, 984
Growth response, aldicarb, 1118
cotton, 1118

Habitats, *Musca domestica*, 993
movement, 993
Haematobia irritans, beef and dairy cattle, 152
cattle, 1010
ear tags, 152
effective dominance, 1178
integrated pest management, 152
permethrin ear tapes, 152
permethrin toxicity, 684
permethrin treatment technique, 684
physiology, 1010
pyrethroid resistance, 1178
Stomoxys calcitrans, 1564
systemic activity, 1564
temperature on permethrin, 684
Harmonics, *Aedes aegypti*, 1703
Aedes triseriatus, 1703
insect flight monitor, 1703
Harpalus pennsylvanicus, alfalfa, 1334
Amara cupreolata, 1334
Evarthrus sodalis, 1334
Hypera postica, 1334
predation, 1334
Harvesting, *Delia antiqua*, 1606
larval damage, 1606
Heat treatments, *Ceratitis capitata*, 700
Dacus cucurbitae, 700
Dacus dorsalis, 700
Helianthus annuus, achene damage, 355
artificial infestation, 545
Homeosoma electellum, 545
Smicronyx fulvus, 355
Heliothis sp., cotton, 1430
insecticide termination, 1430
pest management, 1430
Heliothis spp., cotton, 1627
pyrethroid, 1627
Heliothis virescens, Avermectin B_1, 197
backcross male sterility, 541
CPV infectivity, 364
control, 541
diapause at high temperatures, 410
egg production, 277
emergence, 541
entomopathogen susceptibility, 334
fenvalerate, 197
insecticide-susceptible strain, 334
methomyl resistant, 334
oil, 197
permethrin resistant, 334
piperonyl butoxide, 197
pupal diapause, 410
release, 541
reproduction at high temperatures, 410
spermatocyst development at high temperatures, 410
survival, 541
Heliothis zea, artificial diets, 1707
insect pest management, 1658
mortality, 741
Ostrinia nubilalis, 1658
postemergence herbicides, 261
processing tomatoes, 822
protein selection, 1707
Spodoptera frugiperda, 1658
soybeans, 261
sweet corn, 1658
Hemileuca oliviae, irradiated pupae, 87
iongevity, 87
management, 87
sterility, 87
sterility, 87
Herbicides, insecticides, 1338
pesticide interactions, 1338
soybean, 1338
Herbivory, field corn, 368
Heterorhabditis sp., *Acalymma vittatum*, 1330
drip irrigation, 1330
horticultural crops, 1330
Neoapiectana carpocapsae, 1330
High temperature, *Heliothis virescens*, 410
Homoeosoma electellum, egg collection, 545
Helianthus annuus, 545
oviposition substrate, 545
Horsenettle, *Neocatalaccus tylodermae*, 1548
Horticultural crops, *Acalymma vittatum*, 1330
drip irrigation, 1330
Heterorhabditis sp., 1330
Neoapiectana carpocapsae, 1330
Host attraction, *Hylobius abietis*, 970
host volatiles, 970
Host/plant resistance, artificial infestation, 1671
cotton, 1671
Pectinophora gossypiella, 1671
temperature, 1671
Host plant resistance, antibiosis, 1073
Blissus insularis, 1073
insect resistance, 1073
Host resistance, *Empoasca fabae*, 1230
glandular trichomes, 1230, 1264
insect behavior, 1230
Myzus persicae, 1264
potato breeding, 1230, 1264
Host suitability, artificial selection, 1212
Cotesia melanoscela, 1212
Lymantria dispar, 1212
Host volatiles, *Hylobius abietis*, 970
host attraction, 970
Hybrid potato germ plasm, *Myzus persicae*, 71
Hydraecia immanis, oviposition preference, 1544
weeds, 1544
Hydrogen peroxide, *Hypoderma bovis*, 1125
Hypoderma lineatum, 1125
warble, 1125
Hydrogen phosphide, in-transit fumigation, 1366
residues, 1366
wheat, 1366
Hylobius abietis, host attraction, 970
host volatiles, 970
Hylobius pales, Christmas pines, 192
economic impact, 192
feeding on pines, 192
Hylurgopinus rufipes, insecticides, 1347
Dutch elm disease, 1347
Scolytus multistriatus, 1347
Hypera postica, alfalfa, 769, 785, 1055, 1334
alfalfa damage, 212
alfalfa planting dates, 790
alfalfa quality, 212
alfalfa yield, 212
Amara cupreolata, 1334
control, 790
Evarthrus sodalis, 1334
Harpalus pennsylvanicus, 1334
management, 769
population densities, 790
predation, 1334
Sitona hispidulus, 1055
soil-borne organisms, 1055
Hypersensitivity, lipid oxidation, 915
soybean, 915
Tetranychus urticae, 915
Hyphantria cunea, remotely piloted vehicles, 709
Hypoderma bovis, eradication, 1559
Hypoderma lineatum, 1125, 1559
hydrogen peroxide, 1125
integrated pest management, 1559
warble, 1125
Hypoderma lineatum, eradication, 1559
Hypoderma bovis, 1125, 1559
hydrogen peroxide, 1125
integrated pest management, 1559
warble, 1125
Hypothesis testing, confidence interval, 1156
multiple comparisons, 1156

IGR, meridic diet, 323
Oncopeltus fasciatus, 323
oral effects, 323
Immunoassay, *Bacillus thuringiensis* spp. *israelensis*, 1287
crystal protein, 1287
entomopathogen, 1287
In-transit fumigation, corn, 1315
hydrogen phosphide, 1366
insect control, 1315
residues, 1366

shipboard, 1583
wheat, 1366, 1583
Incisitermes schwarzi, *Coptotermes formosanus*, 903
Cryptotermes cavifrons, 903
fumigant efficacy, 903
sulfuryl fluoride, 903
Infestation, cotton, 1372
plant resistance, *1372*
Pseudatomoscelis seriatus, 1372
Infesting, cotton, 1410
Lygus lineolaris, 1410
Insect/weed interactions, alfalfa, 1507
Medicago sativa, 1507
Peridroma saucia, 1507
plant stress, 1507
Setaria sp., 1507
stubble defoliation, 1507
Insect behavior, *Empoasca fabae*, 1230
glandular trichomes, 1230
host resistance, 1230
potato breeding, 1230
Insect collecting, remotely piloted vehicles, 709
Insect control, *Adelges piceae*, 1676
Anthonomus grandis, 1662
Christmas trees, 1676
Cydia pomonella, 1577
corn, 1315, 1595
cotton, 1662
fertilizer, 1573
Fumibotys fumalis, 1590
groundnut, 1590
in-transit fumigation, 1315
irrigation, 1595
Ostrinia nubilalis, 1595
peppermint, 1590
phytotoxicity, 1676
soil chemicals, 1590
Stomoxys calcitrans, 1573
tillage, 1590
walnuts, 1577
Insect diet, *Keiferia lycopersicella*, 1143
tomato, 1143
Insect distribution, plot location, 741
plot size, 741
Insect flight monitor, *Aedes aegypti*, 1703
Aedes triseriatus, 1703
harmonics, 1703
Insect growth regulator, *Blattella germanica*, 1032
population effects, 1032
Insect pest management, *Carya illinoensis*, 1397
Curculio caryae, 1397
cone emergence traps, 1397
Heliothis zea, 1658
Ostrinia nubilalis, 1658
phenology, 1516
population sampling, 1516
sampling insects, 1397
Scirtothrips citri, 1516
Spodoptera frugiperda, 1658
sweet corn, 1658
Insect rearing, *Anthonomus grandis grandis*, 900
visual sensitivity, 900
Insect resistance, antibiosis, 1073
Blissus insularis, 1073
chlorpyrifos-methyl film overwraps, 775
host plant resistance, 1073
permethrin-treated film overwraps, 775
Insect sampling, *Papaipema nebris*, 1697
Insecticidal control, *Contarinia sorghicola*, 1091
plant resistance, 1091
sorghum, 1091
Insecticide, *Micropilitis croceipes*, 1343
Platynota idaeusalis, 1130
parasitism, 1343
resistance, 1130
Insecticide applications, aerial, 459
ground, 459
Insecticide combinations, *Diatraea grandiosella*, 549
Insecticide effects, *Daktulosphaira vitifoliae*, 1096
Diadegma insulare, 1599
emergence, 1599
fecundity, 1599
Myzus persicae, 1599
survival, 1096
Insecticide-induced behavior, *Blattella germanica*, 426
Insecticide-induced mortality, plot location, 741
plot size, 741
Insecticide resistance cabbage pest management, 1447
Ctenocephalides felis, 1570
fenitrothion, 1196
modeling, 1447
Oryzaephilus surinamensis, 1196
Plutella xylostella, 1447
pyrethroid, 1447
Insecticide response, honey bees, 18
Insecticide termination, cotton, 1430
Heliothis sp., 1430
pest management, 1430
Insecticide treatment, *Dendroctonus rufipennis*, 1121
white spruce, 1121
Insecticides, *Ctenocephalides felis*, 1036
Dutch elm disease, 1347
fecundity, 909
Hylurgopinus rufipes, 1347
herbicides, 1338
Lygus lineolaris, 721
mating disruption, 1466
nylon carpet, 1036
Pectinophora gossypiella, 1466
pesticide interactions, 1338
pheromone, 1466
Scolytus multistriatus, 1347
Sitophilus oryzae, 909
soybean, 1338
temperature, 909
Integrated control, color sorter, 877
Integrated mite management, *Metaseiulus occidentalis*, 1377
selective pesticides, 1377
Tetranychus pacificus, 1377
Tetranychus urticae, 1377
Integrated pest management, control tactics efficacy, 299
cotton, 1259
Diabrotica, 303
Empoasca fabae, 1259
eradication, 1559
Hypoderma bovis, 1559
Hypoderma lineatum, 1559
landscape plants, 167
Panagaeus bilineatus, 523
prophylactic components, 299
responsive components, 299
Irrigation, corn, 1595
insect control, 1595
Ostrinia nubilalis, 1595
Irritability, bioassay, 1472
Tetranychus urticae, 1472
Ixodes dammini, control, 693
vegetation destruction, 693

Keiferia lycopersicella, economic injury levels, 957
insect diet, 1143
tomatoes, 957, 1143

Larval damage, *Delia antiqua*, 1606
harvesting, 1606
Larval development, antibiosis, 1637
bioassay, 1637
plant resistance, 1637
Spodoptera frugiperda, 1637
Larval differences, *Lymantria dispar*, 1174
nuclear polyhedrosis virus, 1174
Lasioderma serricorne, food pouches, 527
Leaf feeding, *Ostrinia nubilalis*, 1492
resistance/susceptibility, 1492
Leaf mines, *Agromyza frontella*, 988
alfalfa, 988
economic injury level, 988
Lemons, ethylene dibromide, 1044
residues, 1044
Lentils, *Lygus hesperus*, 224
Lepesoma iecontei, Douglas-fir conelet abortion, 843
Lepidoptera, larval protein quality, 600
Lepidopterous pests, cabbage, 629
Leptinotarsa decemlineata, biological control, 948
control, 851
Edovum puttieri, 948
glandular trichomes, 1269
insecticide applications, 851
insecticide timing, 851
management, 91
on potato, 91
plant resistance, 1269
population dynamics, 91
pyrethroid toxicity, 588
Solanum berthaultii, 91
sequential sampling, 410
spatial dispersion, 410
wild potato, 1269
Lettuce, *Spodoptera exigua*, 714
Life table, *Neocatolaccus tylodermae*, 1548
Light traps, *Musca domestica*, 1003
trap design, 1003
Lipid oxidation, hypersensitivity, 915
pest resistance, 1459
soybeans, 915, 1459
Tetranychus urticae, 915, 1459
Lobesia botrana, *Drosophila melanogaster*, 1621
embryogenesis, 1621
grapes, 1621
Locomotor activity, *Anthonomus grandis grandis*, 1188
cotton squares, 1188
sucrose diets, 1188
Low oxygen, *Amyelois transitella*, 1303
controlled atmosphere, 1303
Plodia interpunctella, 1303
relative humidity, 1303
temperature, 1303
Lucilia cuprina, malathion resistance, 553
Lygus hesperus, absolute sampling, 224
common bean resistance, 471, 484
common bean, 1069
D-Vac sampling, 224
densities and light, 447
densities and relative humidity, 447
densities and temperature, 447
diel variation of sweepnet, 447
epicarp lesion, 395
first instars, 484
germ plasm, 484
lentils, 224
oviposition, 1069
pistachio, 395
plant resistance, 1069
sampling method comparisons, 224
seasonal variation in sampling, 447
sweepnet accuracy, 224
Lygus lineolaris, cotton, 1410
intesting, 1410
insecticides efficacy, 721
rearing, 1410
season-long control, 721
cotton production, 797
early season control, 797
Lymantria dispar, artificial selection, 1212
Cotesia melanoscela, 1212
contact insecticides, 1394
host suitability, 1212

larval differences, 1174
mechanical barriers, 1394
nuclear polyhedrosis virus, 1174
population control, 1394

Macrosiphum avenae, spring barley yield loss, 749
wheat yield, 1688
Macrosteles fascifrons, drop traps, 1711
population sampling, 1711
rice, 1711
Maize, *Ostrinia nubilalis*, 1076
Malathion resistance, genetic basis, 553
genetic sexing, 1413
Luciliа cuprina, 553
Stomoxys calcitrans, 1413
Male annihilation, *Dacus dorsalis*, 1580
papaya, 1580
Management, *Empoasca fabae*, 779
Hemileuca oliviae, 87
Hypera postica, 769
Peridroma saucia, 769
Manduca quinquemaculata, economic injury levels, 731
tobacco, 731
yield loss relationships, 731
Manduca sexta, economic injury levels, 731
tobacco, 731
yield loss relationships, 731
Mangos, *Anastrepha suspensa*, 706
quarantine treatment, 706
Mark/recapture, *Musca domestica*, 1016
populations, 1016
poultry houses, 1016
survival, 1016
Metaseiulus occidentalis, integrated mite management, 1377
selective pesticides, 1377
Mating, body size, 614
Mating disruption *Rhyssomatus subtilis*, 1645
insecticides, 1466
night observations, 1641
Pectinophora gossypiella, 1466
pheromone traps, 1641
pheromone, 1466
population monitoring, 1641
Spodoptera littoralis, 1641
Mechanical barriers, contact insecticides, 1394
Lymantria dispar, 1394
population control, 1394
Medicago sativa, alfalfa, 1507
insect/weed interactions, 1507
Peridroma saucia, 1507
plant stress, 1507
Setaria sp., 1507
stubble defoliation, 1507
Megachile rotundata, adult size, 974
diapause, 974
mortality, 974
temperature, 974
Melanotus communis, Florida sugar cane, 626
flight activity, 626
Meridic diet, IGR, 323
Oncopeltus fasciatus, 323
RO 13-5223, 323
Metaseiulus occidentalis, *Tetranychus pacificus*, 1377
Tetranychus urticae, 1377
Meteorus communis, economic threshold, 1244
Peridroma saucia, 1244
peppermint, 1244
Methomyl efficacy, *Spodoptera exigua*, 714
Methyl bromide, *Anastrepha ludens*, 172
Cydia pomonella, 1039
fumigation, 1039
grapefruit, 172
Microplitis croceipes, insecticide, 1343
parasitism, 1343
Microsiphum avenae, control, 827
wheat production, 827
Mixed-function oxidase, fenitrothion resistance, 896
Oryzaephilus surinamensis, 896
Modeling, *Bemisia tabaci*, 1235
cabbage pest management, 1447
insecticide resistance, 1447
Plutella xylostella, 1447
plant disease, 1235
pyrethroid, 1447
vectors, 1235
Monitoring, apple, 1666
Phyllonorycter blancardella, 1666
pheromone trap, 1666
programs statistical design, 293
Monoterpenes, *Dendroctonus ponderosae*, 1064
ponderosa pine, 1064
Mortality, adult size, 974
diapause, 974
Megachile rotundata, 974
temperature, 974
Movement, habitats, 993
Musca domestica, 993
Multiple-comparison procedures, estimation, 1149
significance testing, 1149
Multiple comparisons, confidence interval, 1156
hypothesis testing, 1156
Musca domestica, baited-jug trap, 144
cross resistance, 315, 562
cyromazine, 1192
erythromin B-resistant, 315
erythrosin B, 1023
habitats, 993
light traps, 1003
mark/recapture, 1016
monitoring populations, 144
movement, 993
nitromethylene heterocycle, 1439
populations, 1016
poultry housing, 144, 1016
resistance, 1192
seasonal abundance, 144
spot cards, 144
sticky ribbons, 144
survival, 1016
susceptibility, 562
synergism, 1439
toxicity, 1439
trap design, 1003
xanthene dye, 1023
Myzus persica, fluvalinate, 465
Myzus persicae, *Dactynotus* sp., 981
Diseretiella rapae, 1599
development, 71
emergence, 1599
fecundity, 1599
glandular trichomes, 1264
host resistance, 1264
hybrid potato, 71
insecticide effects, 1599
management, 71
potato, 1264
reproduction stimulation, 1530
reproduction, 1534
reproductive biology, 71
sampling, 981
tobacco, 981

Neem-seed extract, larva mortality, 39
Spodoptera exigua, 39
Trichoplusia ni, 39
Neoapiectana carpocapsae, *Acalymma vittatum*, 1330
drip irrigation, 1330
Heterorhabditis sp., 1330
horticultural crops, 1330
Neoasteolaccus tyloderma, horsenettle, 1548
life table, 1548
Neodiprion lecontei, nucleopolyhedrosis virus, 1648
Nephotettix virescens, eggs, 271
location technique, 271
host plant resistance, 437
insecticide control, 437
management, 437
vector resistance, 437
Nicacin, *Ceratitis capitata*, 558
Night observations, mating disruption, 1641
pheromone traps, 1641
population monitoring, 1641
Spodoptera littoralis, 1641
Nilaparvata lugens, eggs, 271
location technique, 271
Nitidulids, oak wilt, 1276
vectors, 1276
Nitromethylene heterocycle, *Musca domestica*, 1439
synergism, 1439
toxicity, 1439
Nonpreference, antibiosis, 1390
corn, 1390
feeding response, 1390
pasture grass, 961
resistance, 961
Scapteriscus acletus, 961
Scapteriscus vicinus, 961
Spodoptera frugiperda, 1390
Nuclear polyhedrosis virus, *Lymantria dispar*, 1174
larval differences, 1174
Spodoptera exigua, 714
Nucleopolyhedrosis virus, *Neodiprion lecontei*, 1648
Nylon carpet, *Ctenocephalides felis*, 1036
insecticides, 1036

Oak wilt, nitidulids, 1276
vectors, 1276
Oebalus pugnax, population sampling, 1226
rice, 1226
Oligonychus pratensis, distribution, 116
senescence, 15
sorghum fertilizer, 116
sorghum lines, 116
sorghum resistance, 15
sorghum, 116
Oncopeltus fasciatus, IGR, 323
meridic diet, 323
Onion, *Thrips tabaci*, 502
Oranges, ethylene dibromide, 1044
residues, 1044
Organo-tin resistance, apples, 1477
pears, 1477
Tetranychus urticae, 1477
Orthosia hibisci, apple, 1497
pheromone trapping, 1497
Oryza sativa, resistance, 1319
Spodoptera frugiperda, 1319
tolerance, 1319
Oryzaephilus surinamensis, fenitrothion resistance, 896
fenitrothion, 1196
insecticide-resistance genetics, 1196
mixed-function oxidase, 896
Osmia sanrafaelae, alfalfa pollinator, 384
nesting requirements on alfalfa, 384
parasites and predators on alfalfa, 384
progeny survival on alfalfa, 384
Osmotic potential, *Schizaphis graminum*, 1221
sorghum, 1221
water stress, 1221
Ostrinia nubilalis, apple damage, 359
apple susceptibility, 359
behavior on apple, 359
corn, 274, 1595
corn yield loss, 283

diet, 964
economic injury levels, 764
emergence patterns, 978
growth, 964
Heliothis zea, 1658
infestation levels, 359
insect control, 1595
insect pest management, 1658
irrigation, 1595
larva survival on apple, 359
leaf feeding, 1492
long-season corn, 243
maize, 1076
pheromone traps, 1539
pheromone, 1139
pheromones, 1539
popcorn damage, 764
popcorn yield loss, 764
resistance/susceptibility, 1492
screening technique, 274
seasonal development, 978
short-season corn, 243
Spodoptera frugiperda, 1658
sweet corn, 1658
trap, 1139
Otobius megnini, Argasidae, 999
colonization, 999
tick rearing, 999
Overwintering, *Argyrotaenia citrana*, 1524
Rubus spp., 1524
Oviposition, common bean, 1069
Lygus hesperus, 1069
plant resistance, 1069
Oviposition preference, *Hydraecia immanis*, 1544
weeds, 1544
Oxamyl, *Thrips palmi*, 718

Package production, *Apis mellifera*, 952
Packaged food, insect resistance, 775
Pangaeus bilineatus, flight activity, 523
integrated pest management, 523
light traps, 523
peanut, 523
Papaipema nebris, corn damage, 233
corn yield loss, 233
field corn, 233
insect sampling, 1697
Papaya, *Ceratitis capitata*, 1307
Dacus cucurbitae, 1307
Dacus dorsalis, 1307, 1580
male annihilation, 1580
quarantine, 1307
Parasitism, insecticide, 1343
Micropilitis croceipes, 1343
Parasitoid, economic threshold, 1244
Meteorus communis, 1244
Peridroma saucia, 1244
peppermint, 1244
Parathion, *Delia antiqua* behavior, 107
Pasture grass, nonpreference, 961
resistance, 961
Scapteriscus acletus, 961
Scapteriscus vicinus, 961
Pea, *Acyrthosiphon pisum*, 1681
economic injury level, 1681
population development, 1681
yield loss, 1681
Peach tree wounds, *Synanthedon pictipes*, 537
Peanut, *Frankliniella fusca*, 1082, 1359
Pangaeus bilineatus, 523
Peanut thrips, migrations, 1359
populations, 1082, 1359
Pears, organo-tin resistance, 1477
Tetranychus urticae, 1477
Pecan, Acrobasis nuxvorella, 1653
Conotrachelus schoofi, 490
Curculio caryae, 1653
Pectinophora gossypiella, artificial infestation, 1671
cotton, 1671
cotton seed damage, 229
host/plant resistance, 1671
insecticides, 1486
mating disruption, 1486
pheromone, 1486
temperature, 1671
Peppermint, economic threshold, 1244
Pseudaletia unipuncta, 1590
grounddel, 1590
insect control, 1590
Meteorus communis, 1244
parasitoid, 1244
Peridroma saucia, 1244
soil chemicals
tillage, 1590
Peridroma saucia, alfalfa, 769, 1507
insect/weed interactions, 1507
management, 769
Medicago sativa, 1507
Meteorus communis, 1244
parasitoid, 1244
peppermint, 1244
plant stress, 1507
Setaria sp., 1507
stubble defoliation, 1507
Periplaneta americana, *Blattella germanica*, 1280
cockroach baits, 1280
Permethrin, emulsifiable concentrate application, 202
persistence on soybean, 202
soybean leaves, 202
ultralow volume application, 202
Permethrin efficacy, *Spodoptera exigua*, 714
Pest control, decision theory, 1421
remotely piloted vehicles, 709
sampling, 1421
Pest management, cotton, 1430
Diabrotica undecimpunctata, 1100
Heliothis sp., 1430
insecticide management, 1430
population sampling, 1100
snap beans, 1100
Pest resistance, lipid oxidation, 1459
soybeans, 1459
Tetranychus urticae, 1459
Pesticide interactions, herbicides, 1338
insecticides, 1338
soybean, 1338
Pesticide resistance, *Aonidiella aurantii*, 1161
Aphytis melinus, 1161
citrus, 1161
Pesticides, *Apis mellifera*, 1200
poisoning, 1200
polychlorinated biphenyls, 1200
residual impact 281
Scirtothrips citri, 565
Phenacoccus solani, fluvalinate, 465
Phenology, insect pest management, 1516
population sampling, 1516
Scirtothrips citrii, 1516
Pheromone, *Anthonomus grandis grandis*, 1240
insecticides, 1466
mating disruption, 1466
Ostrinia nubilalis, 1139
Pectinophora gossypiella, 1466
sterilization, 1240
trap, 1139
Pheromone trap, apple, 1666
monitoring, 1666
Phyllonorycter blancardella, 1666
Pheromone trapping, apple, 1497
Orthosia hibisci, 1497
Pheromone traps, mating disruption, 1641
night observations, 1641
Ostrinia nubilalis, 1539
pheromones, 1539
population monitoring, 1641
Spodoptera littoralis, 1641
Pheromones, *Ostrinia nubilalis*, 1539
pheromone traps, 1539
Photosynthesis reduced, cotton, 1217
Tetranychus spp., 1217
Phyllonorycter blancardella, apple, 1666
cross resistance, 318
insecticides, 258
knockdown resistant, 318
monitoring, 1666
ovicidal activity, 258
pheromone trap, 1666
pyrethroid resistance, 318
southern Ontario, 318
Physiology, cattle, 1010, 1294
Haematobia irritans, 1010
Stomoxys calcitrans, 1294
Phytotoxicity, *Abies* pinsapo, 1676
Christmas trees, 1676
insect control, 1676
Pieris rapae, chemical control, 497
collards, 497
microbial agents, 497
Pin oak, defoliation, 1381
Popillia japonica, 1381
traps, 1381
Pistachio nuts, *Amyelois transitella*, 1299
fumigation, 1299
residues, 1299
Planococcus citri, biological control, 891
encyrtid parasites, 891
greenhouse, 891
Plant/insect interaction, adult feeding, 1609
Diabrotica virgifera virgifera, 1609
silk damage, 1609
Plant disease, *Bemisia tabaci*, 1235
modeling, 1235
vectors, 1235
Plant resistance, antibiosis, 1637
bioassay, 1637
Contarinia sorghicola, 1091
common bean, 1069
cotton, 1372
glandular trichomes, 1269
infestation, 1372
insecticidal control, 1091
Leptinotarsa decemlineata
Lygus hesperus, 1069
larval development, 1637
oviposition, 1069
Pseudatomoscelis seriatus, 1372
Spodoptera frugiperda, 1637
sorghum, 1091
wild potato, 1269
Plant stress, alfalfa, 1507
insect/weed interactions, 1507
Medicago sativa, 1507
Peridroma saucia, 1507
Setaria sp., 1507
stubble defoliation, 1507
Platynota idaeusalis, insecticide, 1130
predicting apple injury, 620
resistance, 1130
sampling methods, 620
sampling summer brood, 620
Platynota stultana, benzoylphenylurea toxicity, 759
benzoylphenylurea delayed effects, 753
greenhouse, 759
laboratory, 753
life-table studies, 753
Plodia interpunctella, *Amyelois transitella*, 1303
biological control, 1085
Cadra cautella, 936
commodity treatment, 1085

controlled atmosphere, 1303
granulosis virus, 1085
low oxygen, 1303
relative humidity, 1303
sex pheromones, 936
sorbic acid, 805
stored-product insect, 936
temperature, 1303
Plutella xylostella, cabbage pest management, 1447
chemical control, 22
fenvalerate, 22
insecticide resistance, 1447
insecticide susceptibility, 22
modeling, 1447
overhead irrigation, 189
oviposition suppression, 189
piperonyl butoxide, 22
pyrethroid, 1447
watercress, 189
Pogonomyrmex maricopa, Ant control, 1632
Poisoning, *Apis mellifera*, 1200
pesticides, 1200
polychlorinated biphenyls, 1200
Poisson distribution, binomial distribution, 887
quarantine, 887
Polychlorinated biphenyls, *Apis mellifera*, 1200
pesticides, 1200
poisoning, 1200
Pondercsa pine, *Dendroctonus ponderosae*, 1064
monoterpenes, 1064
Popcorn damage, *Ostrinia nubilalis*, 764
Popcorn yield loss, *Ostrinia nubilalis*, 764
Popilia japonica, bait, 84
color traps, 84
male attractancy, 84
attractancy tests, 374
bendiocarb response, 452
biology, 387
chlorpyrifos response, 452
defoliation, 1381
development, 387
eugenol, 405
feeding stimulants, 668
isofenphos response, 452
Japoniilure, 405
lure enhancement, 405
pin oak, 1381
sugars, 668
traps, 1381
Population control, contact insecticides, 1394
Lymantria dispar, 1394
mechanical barriers, 1394
Population densities, *Hypera postica*, 790
Population development, *Acyrthosiphon pisum*, 1681
economic injury level, 1681
pea, 1681
yield loss, 1681
Population effects, *Blattella germanica*, 1032
insect growth regulator, 1032
Population monitoring, mating disruption, 1641
night observation, 1641
pheromone traps, 1641
Spodoptera littoralis, 1641
Population sampling, *Diabrotica undecimpunctata*, 1100
drop traps, 1711
insect pest management, 1516
Macrosteles fascifrons, 1711
Oebalus pugnax, 1226
pest management, 1100
phenology, 1516
rice, 1226, 1711
Scirtothrips citri, 1516
snap beans, 1100
Population trends, *Thrips palmi*, 718
Populations, *Musca domestica*, 1016
mark/recapture, 1016
poultry houses, 1016
survival, 1016
Potato, glandular trichomes, 1264
host resistance, 1264
Myzus persicae, 1264
Potato breeding, *Empoasca fabae*, 1230
glandular trichomes, 1230
host resistance, 1230
insect behavior, 1230
Potentiation, *Bacillus thuringiensis* var. *kurstaki*, 1443
exotoxin, 1443
Spodoptera exigua, 1443
thuringiensin, 1443
Poultry houses, Musca domestica, 1016
mark/recapture, 1016
populations, 1016
survival, 1016
Predation, alfalfa, 1334
Amara cupreolata, 1334
Evarthrus sodalis, 1334
Harpalus pennsylvanicus, 1334
Hypera postica, 1334
Prosevania punctata, distribution, 431
pest status, 431
seasonal abundance, 431
urban apartments, 431
Protein selection, artificial diets, 1707
Heliothis zea, 1707
Pseudaletia unipuncta, defoliation of corn, 368
herbivory, 368
Pseudatomoscelis seriatus, chlordimeform, 238
cotton production, 797
cotton, 238, 1372
early season control, 797
infestation, 1372
plant resistance, 1372
Psylla pyricola, selective control, 250
Pteridine, *Stomoxys calcitrans*, 1714
Pteromalus puparum, insecticide residual effects, 651
Pyrethroid, cabbage pest management, 1447
cotton, 1627
Heliothis spp., 1627
insecticide resistance, 1447
modeling, 1447
Plutella xylostella, 1447
Pyrethroid resistance, effective dominance, 1178
Haematobia irritans, 1178
Phyllonorycter blancardella, 318
Pyrethroids, repellency, 1183
Tetranychus urticae, 1183
toxicity, 1183

Quadraspidiotus perniciosus, selective control, 250
Quarantine, binomial distribution, 887
Ceratitis capitata, 1307
Dacus cucurbitae, 1307
Dacus dorsalis, 1307
papaya, 1307
Poisson distribution, 887
Quarantine treatment, *Anastrepha suspensa*, 706

Rearing, cotton, 1410
Lygus lineolaris, 1410
Relative humidity, *Amyelois transitella*, 1303
controlled atmosphere, 1303
low oxygen, 1303
Plodia interpunctella, 1303
temperature, 1303
Remotely piloted vehicles, *Bacillus thuringiensis*, 709
Datana integerrima, 709
entomopathogen application, 709
Hyphantria cunea, 709
insect collecting, 709
pest control, 709
ultra-low-volume sprays, 709
Repellency, *Choristoneura fumiferana*, 1351
pyrethroids, 1183
sex pheromone traps, 1351
Tetranychus urticae, 1183
toxicity, 1183
Reproduction, *Myzus persicae*, 1534
stimulation *Myzus persicae*, 1530
Residues, *Amyelois transitella*, 1299
ethylene dibromide, 1044
fumigation, 1299
hydrogen phosphide, 1366
in-transit fumigation, 1366
lemons, 1044
oranges, 1044
pistachio nuts, 1299
wheat, 1366
blueberry, 1513
insecticide, 1130
nonpreference, 961
Oryza sativa, 1319
pasture grass, 961
Platynota idaeusalis, 1130
Scaphytopius magdalensis, 1513
Scapteriscus acletus, 961
Scapteriscus vicinus, 961
Spodoptera frugiperda, 1319
tolerance, 1319
Resistance mechanisms, *Culex pipiens*, 1452
sorghum, 42
Resistance monitoring, dose/mortality data, 293
methodology, 293
sample sizes, 293
Resistance/susceptibility, leaf feeding, 1492
Ostrinia nubilalis, 1492
Respiration, *Anthonomus grandis grandis*, 1206
migrant, 1206
seasonal variation, 1206
Rhopalosiphum maidi, control, 827
wheat production, 827
Rhopalosiphum maidis, spring barley yield loss, 749
Rhopalosiphum padi, control, 827
spring barley yield loss, 749
wheat production, 827
Rhyzopertha dominica, aerial density, 1134
aggregation pheromone, 1134
food pouches, 527
trapping, 1134
Rice, drop traps, 1711
feeding, 1324
Macrosteles fascifrons, 1711
Oebalus pugnax, 1226
population sampling, 1226, 1711
Spodoptera frugiperda, 1324
tungro virus control, 437
volatiles *Sogatella furcifera*, 928
Rubus spp., *Argyrotaenia citrana*, 1524
overwintering, 1524
Rumen fluid, alfalfa stem resistance, 1249
Empoasca fabae, 1249
Rutelinae, attractants, 374
trapping techniques, 374

Sampling, *Dactynotus* sp., 981
decision theory, 1421
grain, 284
Myzus persicae, 981
pest control, 1421
pneumatic vs. manual, 284
tobacco, 981
Sampling insects, *Carya illinoensis*, 1397
Curculio caryae, 1397
cone emergence traps, 1397
insect pest management, 1397

Sampling methods, cantaloupe pests, 266
Lygus hesperus, 224
Scapanytopius magdalensis, blueberry, 1513
resistance, 1513
Scapteriscus acletus, nonpreference, 961
pasture grass, 961
resistance, 961
Scapteriscus vicinus, 961
Scapteriscus vicinus, nonpreference, 961
pasture grass, 961
resistance, 961
Scapteriscus acletus, 961
Schizaphis graminum, *Blissus leucopterus leucopterus*, 1364
control, 827
damage and yield, 633
distribution, 116
osmotic potential, 1221
sorghum, 116, 1221, 1364
sorghum fertilizer, 116
sorghum lines, 116
spring barley yield loss, 749
tillage, 1364
water stress, 1221
wheat production, 827
wheat seedlings, 633
Scirtothrips citri, chemical control, 565
pesticide toxicity, 565
pesticides patterns, 565
pesticides, 281
pupation location, 59
soil pupation, 59
tree pupation, 59
Scirtothrips citri, insect pest management, 1516
phenology, 1516
population sampling, 1516
Scolytus multistriatus, Dutch elm disease, 1347
Hylurgopinus rufipes, 1347
insecticides, 1347
Seasonal development, emergence patterns, 978
Ostrinia nubilalis, 978
Seasonal variation, *Anthonomus grandis grandis*, 1206
migrant, 1206
respiration, 1206
Selective pesticides, integrated mite management, 1377
Metaseiulus occidentalis, 1377
Tetranychus pacificus, 1377
Tetranychus urticae, 1377
Setaria sp., alfalfa, 1507
insect/weed interactions, 1507
Medicago sativa, 1507
Peridroma saucia, 1507
plant stress, 1507
stubble defoliation, 1507
Sex pheromone, *Diatraea grandiosella*, 1385
trapping, 1385
Sex pheromone traps, *Choristoneura fumiferana*, 1351
repellency, 1351
Sex pheromones, *Cadra cautella*, 936
Plodia interpunctella, 936
stored-product insect, 936
Shipboard, in-transit fumigation, 1583
wheat, 1583
Significance testing, estimation, 1149
multiple-comparison procedures, 1149
Silk damage, adult feeding, 1609
Diabrotica virgifera virgifera, 1609
plant/insect interaction, 1609
Sipha flava, sorghum, 1106
sorghum, 1603
yield loss assessment, 1106, 1603
Sitona hispidulus, alfalfa, 1055
feeding rate on alfalfa, 506
Hypera postica, 1055
larval days, 506
soil-borne organisms, 1055
Sitophilus oryzae, fecundity, 909
insecticides, 909
sorbic acid, 805
temperature, 909
Smicronyx fulvus, achene damage on sunflower, 355
sunflower development, 355
sunflower development/achene damage relationship, 355
Snap beans, *Diabrotica undecimpunctata*, 1100
pest management, 1100
population sampling, 1100
Sod webworm, adult flight peaks, 400
degree-day accumulation models, 400
Sogatella furcifera, eggs, 271
location technique, 271
rice volatiles, 928
Soil-borne organisms, alfalfa, 1055
Hypera postica, 1055
Sitona hispidulus, 1055
Soil chemicals, *Pumilotyx fumalis*, 1590
groundsel, 1590
insect control, 1590
peppermint, 1590
tillage, 1590
Solenopsis invicta, aggressive behavior, 637
bait, 1404
multiple mounds, 637
sugarcane, 1404
Sorbic acid, *Ahasverus advena*, 805
Cryptolestes pusillus, 805
Plodia interpunctella, 805
Sitophilus oryzae, 805
stored corn, 805
Tribolium confusum, 805
Typhea stercorea, 805
Sorghum, *Blissus leucopterus*, 42
Blissus leucopterus leucopterus, 1364
Contarinia sorghicola, 1091
Contarinia sorghicola, 530
Contarinia sorghicola, 833
insecticidal control, 1091
osmotic potential, 1221
plant resistance, 1091
resistant germ plasm, 42
Schizaphis graminum, 1221, 1364
Sipha flava, 1106, 1603
tillage, 1364
water stress, 1221
yield loss assessment, 1106, 1603
Sorghum antibiosis, *Blissus leucopterous* biology, 176
Sorghum bicolor, *Contarinia sorghicola*, 455
Sorghum resistance, *Oligonychus pratensis*, 15
plant senescence, 15
Soybean, development, 1354
Epilachna varivestis, 1354
herbicides, 1338
insecticides, 1338
pesticide interactions, 1338
Soybean leaves, permethrin, 202
Soybeans, lipid oxidation, 1459
pest resistance, 1459
Tetranychus urticae, 1459
Spodoptera eridania, Avermectin B_1, 197
fenvalerate, 197
oil, 197
piperonyl butoxide, 197
Spodoptera exigua, *Bacillus thuringiensis* var. *kurstaki*, 1443
control, 714
exotoxin, 1443
larva mortality, 39
lettuce, 714
methomyl efficacy, 714
neem-seed extract, 39
nuclear polyhedrosis virus, 714
permethrin efficacy, 714
potentiation, 1443
processing tomatoes, 822
thuringiensis, 1443
Spodoptera frugiperda, antibiosis, 1390
antibiosis, 1637
bioassay, 1637
corn, 1390
feeding response, 1390
feeding, 1324
Heliothis zea, 1658
inherited deleterious radiation effects, 46
insect pest management, 1658
irradiated adults, 46
larval development, 1637
nonpreference, 1390
Oryza sativa, 1319
Ostrinia nubilalis, 1658
plant resistance, 1637
progeny, 46
radiation, 46
resistance, 1319
rice, 1324
sweet corn, 1658
tolerance, 1319
Spodoptera littoralis, mating disruption, 1641
night observations, 1641
pheromone traps, 1641
population monitoring, 1641
Spring barley yield loss, *Macrosiphum avenae*, 749
Rhopalosiphum maidis, 749
Rhopalosiphum padi, 749
Schizaphis graminum, 749
Stabilizing pheromones, conjugated diene pheromones, 922
Steiner traps, capture rate, 533
insecticide choice, 533
Sterile-insect release method, *Ceratitis capitata*, 1501
fruit infestation rate, 1501
trapping, 1501
Sterile insect release trap, sampling, 879
Sterility, *Anthonomus grandis grandis*, 1484
diet, 1484
gamma radiation, 1484
Sterilization, *Anthonomus grandis grandis*, 1240
pheromone, 1240
Stomoxys calcitrans, beef and dairy cattle, 152
cattle, 1294
color sorter, 877
ear tags, 152
fertilizer, 1573
genetic sexing, 1413
Haematobia irritans, 1564
insect control, 1573
integrated pest management, 152
malathion resistance, 1413
permethrin ear tapes, 152
physiology, 1294
pteridine, 1714
systemic activity, 1564
Stored-oat insects, bin construction, 518
Stored-product insect, *Cadra cautella*, 936
Plodia interpunctella, 936
sex pheromones, 936
Stored corn, *Ahasverus advena*, 805
Cryptolestes pusillus, 805
Plodia interpunctella, 805
Sitophilus oryzae, 805
Tribolium confusum, 805
Typhea stercorea, 805
Stubble defoliation, alfalfa, 1507
insect/weed interactions, 1507
Medicago sativa, 1507
Peridroma saucia, 1507
plant stress, 1507
Setaria sp., 1507
Sucrose diets, *Anthonomus grandis grandis*, 1188
cotton squares, 1188
locomotor activity, 1188
Sugarcane, bait, 1404
Diatraea saccharalis, 813
Solenopsis invicta, 1404

Sulfuryl fluoride, *Coptotermes formosanus*, 903
Cryptotermes cavifrons, 903
fumigant efficacy, 903
Incisitermes schwarzi, 903
Survival, *Amblyomma americanum*, 1555
Daktulosphaira vitifoliae, 1096
flooding, 1555
insecticide effects, 1096
Musca domestica, 1016
mark/recapture, 1016
populations, 1016
poultry houses, 1016
Sweet corn, *Heliothis zea*, 1658
insect pest management, 1658
Ostrinia nubilalis, 1658
Spodoptera frugiperda, 1658
Synanthedon pictipes, *Cytospora* canker, 537
establishment, 537
peach tree wounds, 537
Synergism, *Musca domestica*, 1439
nitromethylene heterocycle, 1439
toxicity, 1439
Systemic activity, *Haematobia irritans*, 1564
Stomoxys calcitrans, 1564

Tabanus abactor, cattle feed utilization, 128
cattle weight gains, 128
Tabanus atratus, cattle feed utilization, 128
cattle weight gains, 128
Tabanus equalis, cattle feed utilization, 128
cattle weight gains, 128
Tabanus molaris, cattle feed utilization, 128
cattle weight gains, 128
Tabanus subsimilis, cattle feed utilization, 128
cattle weight gains, 128
Tabanus sulcifrons, cattle feed utilization, 128
cattle weight gains, 128
Temperature, *Amyelois transitella*, 1303
adult size, 974
artificial infestation, 1671
Blattella germanica, 1613
Cryptolestes ferrugineus, 1111
controlled atmosphere, 1303
cotton, 1671
cumulative toxicity, 1613
density, 1111
diapause, 974
fecundity, 909
host/plant resistance, 1671
insecticides, 909
low oxygen, 1303
Megachile rotundata, 974
mortality, 974
Pectinophora gossypiella, 1671
Plodia interpunctella, 1303
relative humidity, 1303
Sitophilus oryzae, 909
trapping, 1111
Tribolium castaneum, 1111
wheat, 1111
Temperature/toxicity, pyrethroids, 588
Tetranychus pacificus, integrated mite management, 1377
selective pesticides, 1377
Tetranychus spp., cotton, 1217
photosynthesis reduced, 1217
Tetranychus urticae, apples, 1477
bioassay, 1472
cyhexatin resistance mechanisms, 576
egg hatch, 7
fecundity, 7
fluvalinate, 465
formamidines, 7
hypersensitivity, 915
integrated mite management, 1377
irritability, 1472
lipid oxidation, 915, 1459
Metaseiulus occidentalis, 1377
organo-tin resistance, 1477
oviposition, 7
pears, 1477
pest resistance, 1459
pyrethroids, 1183
repellency, 1183
reproduction, 7
selective pesticides, 1377
soybeans, 915, 1459
Tetranychus pacificus, 1377
toxicity, 1183
clofentezine toxicity, 479
Tetranychus urticae eggs clofentezine toxicity, 479
Thrips migrations, *Frankliniella fusca*, 1359
peanut, 1359
thrips populations, 1359
Thrips palmi, oxamyl, 718
population trends, 718
watermelon, 718
Thrips populations, *Frankliniella fusca*, 1082
Frankliniella fusca, 1359
peanut, 1082, 1359
thrips migrations, 1359
Thrips tabaci, colonization on cabbage, 219
distribution on onion, 502
impact on onion, 502
intraplant distribution, 219
migration to cabbage, 219
population abundance, 502
Thuringiensin, *Bacillus thuringiensis* var. *kurstaki*, 1443
exotoxin, 1443
potentiation, 1443
Spodoptera exigua, 1443
Tick rearing, Argasidae, 999
colonization, 999
Otobius megnini, 999
Tillage, *Blissus leucopterus leucopterus*, 1364
Fumibotys fumalis, 1590
groundsel, 1590
insect control, 1590
peppermint, 1590
Schizaphis graminum, 1364
soil chemicals, 1590
sorghum, 1364
Tobacco, *Manduca quinquemaculata*, 731
Manduca sexta, 731
Tolerance, *Oryza sativa*, 1319
resistance, 1319
Spodoptera frugiperda, 1319
Tomatoes *Aculops lycopersici*, 940
economic injury levels, 957
Kriophyidae, 940
Heliothis zea, 822
insect diet, 1143
Keiferia lycopersicella, *957*, *1143*
Spodoptera exigua, 822
Toxicity, chitin synthesis inhibitors, 1624
Cydia pomonella, 1624
Musca domestica, 1439
nitromethylene heterocycle, 1439
pyrethroids, 1183
repellency, 1183
synergism, 1439
Tetranychus urticae, 1183
Tracheal mite diagnosis, *Acarapis woodi*, 1401
dissection, 1401
Trap design, light traps, 1003
Musca domestica, 1003
Trap sampling, hypergeometric distribution, 879
Trapping, aerial density, 1134
aggregation pheromone, 1134
Ceratitis capitata, 1501
Cryptolestes ferrugineus, 1111
Diatraea grandiosella, 1385
density, 1111
fruit infestation rate, 1501
Rhyzopertha dominica, 1134
sex pheromone, 1385
sterile-insect release method, 1501
Tribolium castaneum, 1111
temperature, 1111
wheat, 1111
Traps, defoliation, 1381
Ostrinia nubilalis, 1139
pin oak, 1381
pheromone, 1139
Opisina japonica, 84
Popillia japonica, 1381
Trialeurodes vaporariorum, fluvalinate, 465
Triatoma mazzottii, aggregation pheromones, 688
sex pheromones, 688
Tribolium castaneum, *Cryptolestes ferrugineus*, 1111
density, 1111
food pouches, 527
malathion resistance, 580
packaged food, 775
population fluctuation on oats, 518
temperature, 1111
trapping, 1111
wheat, 1111
Tribolium confusum, sorbic acid, 805
Trichopisia ni, chemical control, 497
collards, 497
larva mortality, 39
microbial agents, 497
neem-seed extract, 39
Trichosirocalus horridus, field-nursery rearing, 873
Trimedlure, *Ceratitis capitata*, 98, 1050
evaporation rate, 1050
isomeric structural assignments, 98
Tropical ornamental foliage, fluvalinate dip treatments, 465
Two-queen management, *Apis mellifera*, 952
package production, 952
Typhea stercorea, sorbic acid, 805

Ultra-low-volume sprays, remotely piloted vehicles, 709
Ultrasound devices, *Blattella germanica*, 1027
Xenopsylla cheopis, 1027

Vectors, *Bemisia tabaci*, 1235
modeling, 1235
nitidulids, 1276
oak wilt, 1276
plant disease, 1235
Vespula germanica, bait collection, 50
bait texture, 50
bait toxicants, 50
toxic ham bait, 50
Visual sensitivity, *Anthonomus grandis grandis*, 900
insect rearing, 900

Wainuta, *Cydia pomonella*, 1577
insect control, 1577
Warble, *Hypoderma bovis*, 1125
Hypoderma lineatum, 1125
hydrogen peroxide, 1125
Water stress, osmotic potential, 1221
Schizaphis graminum, 1221
sorghum, 1221
Watermelon, *Thrips palmi*, 718
Weeds, *Hydrocotyle ranunculoides*, 1544
oviposition preference, 1544
Weight-related insecticide response, *Choristoneura rosaceana*, 329
Wheat, *Cryptolestes ferrugineus*, 1111
density, 1111
hydrogen phosphide, 1366
in-transit fumigation, 1366, 1583

Microsiphum avenae, 827
residues, 1366
Rhopalosiphum maidi, 827
Rhopalosiphum padi, 827
Schizaphis graminum, 827
shipboard, 1583
temperature, 1111
trapping, 1111
Tribolium castaneum, 1111
Wheat yield, *Macrosiphum avenae*, 1688
White spruce, *Dendroctonus rufipennis*, 1121
insecticide treatment, 1121
Wild potato, glandular trichomes, 1269
Leptinotarse decemlineata, 1269
plant resistance, 1269

Xanthene dye, erythrosin B, 1023
Musca domestica, 1023
Xenopsylla cheopis, Blattella germanica, 1027
ultrasound devices, 1027

Yield loss, *Acyrthosiphon pisum*, 1681
economic injury level, 1681
pea, 1681
population development, 1681
Yield loss assessment, *Sipha flava*, 1106, 1603
sorghum, 1106, 1603

Zectran UCIF19, *Choristoneura fumiferana*, 726

CUMULATIVE AUTHOR INDEX

Journal of Economic Entomology,
Volume 79, 1986

Agee, H.R., 900
Agnello, A.M., 261
Alford, A.R., 31, 35
Ali, A.D., 1404
Ali, S., 364
Allen, W.W., 1559
Aim, S.R., 634
Alvarado-Rodriquez, B., 484, 1069
Andersen, K., 1276
Anderson, J.F., 1200
Anderson, T.E., 197
Andow, D.A., 299
Appel, D.N., 1276
Aquino, G.B., 437
Arakawa, K., 1235
Archer, T.L., 15, 116
Archibald, D.E., 318
Ascerno, M.E., 1347
Asencio, C., 641
Austerweil, M., 596
Axtell, R.C., 144, 993, 1016

Babu, J.R., 197
Bailey, J.C., 1410
Bailey, W.C., 233
Baker, P.B., 452
Baker, T.C., 1466
Barber, D.T., 1595
Barker, R.W., 999
Barnard, D.R., 122, 141
Barney, R.J., 511, 1334
Barrett, C.C., 1125
Baumann, G.L., 459
Becerra, M.I., 1091
Beeman, R.W., 580
Belcourt, J., 414, 721
Bell, R.A., 1174
Bellows, T.S. Jr., 281, 311, 1235
Benedict, J.H., 238
Bennett, G.W., 1032
Bentley, M.D., 35
Bentzinger, R.C., 212, 790
Berge, J., 1452
Bernhardt, J.L., 1430
Berry, R.E., 1100, 1244, 1598
Biiz, F.G., 1073
Bird, T.G., 882, 1385
Birky, B.K., 877, 1413
Biankenship, E.A.K., 964
Bioemer, S.R., 679
Biumenthai, E.M., 1394
Boethel, D.J., 202
Boivin, G., 414, 721, 978
Boling, J.A., 1010, 1294
Borth, P.W., 1632
Bostock, R.M., 395
Bowie, M.H., 1183
Bradley, J.R. Jr., 261
Brandi, D.G., 1303
Brannan, T.F., 114, 838
Brawner, O.L., 59, 565
Breen, J.P., 1106, 1603
Bret, B.L., 338, 426
Brewer, G.J., 421, 1249
Bride, J.-M., 1452
Brito, R.M., 1217
Brown, D.F., 922
Brown, G.C., 506, 915, 1459
Brown, J.K., 208
Bruton, B.D., 172
Buntin, G.D., 769, 1507
Burditt, A.K. Jr., 1579
Burke, H.R., 1548
Burkholder, W.E., 1134
Burton, R.L., 633, 1143
Busacca, J.D., 648
Busey, P., 1073
Butler, G.D. Jr., 208, 350, 410
Bynum, E.D. Jr., 15, 116
Byron, D.W., 637

Caddel, J.L., 790
Cadogan, B.L., 726
Cadoux, M.E., 107, 736
Camper, H.W. Jr., 827
Canteio, W.W., 741
Capinera, J.L., 1609
Carbonaro, M.A., 576
Cardé, R.T., 1139, 1539
Carpenter, J.E., 46
Carroll, J.F., 62
Cartwright, B., 502
Casagrande, R.A., 91
Chadwick, J., 1714
Chamberlain, W.F., 1573
Chamberlin, J.R., 629
Chang, H.B.C., 864
Chapman, R.B., 1183
Charlet, L.D., 648
Charlton, R.E., 1139
Chen, J.S., 22
Cherry, R.H., 626, 1226
Chew, V., 887
Choquette, D., 414
Christian, M.L., 549
Churchill-Staniand, C., 614
Clayton, T.E., 1671
Cline, L.D., 418, 527, 775
Coats, J.R., 1492
Collart, M.G., 1570
Collins, A.M., 18
Collins, P.J., 909, 1196
Colwell, D.D., 1559
Combs, R.L., 1178
Cone, W.W., 817, 1617
Cooney, J.C., 679
Coop, L.B., 1244
Cooper, R.L., 1354
Corneil, J.A., 192
Coudriet, D.L., 39, 659
Couey, H.M., 887, 1307
Coviello, R.L., 1516
Cowan, D.K., 1085
Creighton, C.S., 1338
Croft, B.A., 1516
Cuany, A., 1452
Cuda, J.P., 1548
Cunningham, R.T., 98, 875, 1050, 1580
Currier, D.R., 1595
Currier, W.W., 459
Cutler, B.L., 1653

Danka, R.G., 18
Dauterman, W.C., 576
Davis, R., 1315, 1366, 1583
Davis, F.M., 549, 847, 1385
Davis, M.R., 1406
Day, W.H., 988
DePoliart, G.R., 600
Derrick, M.E., 1627
Dimock, M.B., 1269
Donaldson, J.M.I., 374
Dougherty, E.M., 497
Dowdy, A.K., 790
Dowell, R.V., 614
Dufault, C.P., 54
Duffey, S.S., 484
Duncan, R.R., 1637
Dunkel, F.V., 805
Dunkelblum, E., 1641
Durant, J.A., 1539, 1627
Dutcher, J.D., 1397
Dybas, R.A., 197

Eckenrode, C.J., 107, 359, 736, 1606
Edelson, J.V., 266, 502,
Edge, V.E., 576, 1477
Eidman, H.H., 970
El-Gazzar, L.M., 132
Epplin, F.M., 141
Epsky, N.D., 1609
Ervin, R.T., 141
Etzel, R.W., 1513

Fairbanks, K., 679
Fales, S.L., 1637
Federici, B.A., 714
Finch, S., 107, 736
Fisher, G.C., 1100
Fisher, J.R., 114
Fisher, S.W., 1472
Flaherty, B.R., 418
Flaherty, D.L., 1516
Flinn, P.W., 779
Foster, K.W., 484, 1069
Foster, M.A., 840
Foster, R.E., 303, 1421
Fournier, D., 1452
Frankel, H., 596
Freeman, M.W., 1516
French, J.V., 891
Freytag, P.H., 605
Friedl, T., 697
Fry, R.E., 1671

Gage, S.H., 1703
Gary, W.E., 1401
Gaylor, M.J., 840
Geiernter, W.D., 714
George, B.W., 229, 1671
Georghiou, G.P., 1192
Getzin, L.W., 1681
Gilienwater, H.B., 1315, 1366
Godfrey, L.D., 1055
Gonzalez, J.L., 641
Goodell, P.B., 1516
Gordon, D., 1641
Gordon, F.C., 1381
Gothilf, S., 1641
Gott, K.M., 479
Gottwald, T.R., 709, 857
Grafius, E., 588
Granett, J., 753, 759, 1096, 1624
Granovsky, T.A., 1134
Gray, S.M., 981
Grigarick, A.A., 1711
Groden, E., 91
Grout, T.G., 59, 1516
Gurevitz, E., 1621
Guthrie, W.D., 243, 764, 1076, 1492
Gut, L.J., 247, 250
Gutierrez, A.P., 868
Gutierres, P., 940
Gutierrez-Martinez, A., 688

Hagley, E.A.C., 1666
Hain, F.P., 1676
Hall, D., 1648
Hall, D.G., 626, 813
Hall, F.R., 654
Hamilton, G.C., 471
Hammond, R.B., 1338, 1354
Harel, M., 1641
Harper, J.D., 592
Harris, M.K., 1653
Harrison, F.P., 731
Hart, W.G., 172, 891, 1662
Harte, E.M., 1050
Hartley, G.G., 541
Hartsell, P.L., 166, 1039, 1044, 1299
Hartstack, A.W., 1406
Hastings, F.L., 1121, 1676
Hautier, M., 1287
Haverty, M.I., 158
Hawkins, J.A., 1178
Hayden, J.P., 258
Hayes, C.F., 1307
Haynes, J.W., 1188
Haynes, K.F., 1466
Hays, S.B., 637
Heath, R.R., 289, 641
Hebding, H.E., 329
Hedin, P.A., 882
Heliman, M.D., 1662
Hein, G.L., 303
Heinrichs, E.A., 437
Heitz, J.R., 315
Hejazi, M.J., 753, 759
Helimich, R.L. II, 18
Hendrickson, R.M. Jr., 988
Henneberry, T.J., 208, 350, 410, 1671
Herbert, D.A., 592
Highland, H.A., 527, 775
Highland, H.B., 523
Hildebrand, D.F., 915, 1459
Hill, A.R., 533
Hill, B.D., 181
Hink, W.F., 1570
Hinks, C.F., 181
Hoffman, M.P., 822
Hogsette, J.A., 152
Holbrook, F.R., 1127
Holmes, J.A., 31
Holsten, E.H., 1121
Hoover, C.R., 1394
Horber, E., 421, 1249
Houck, L.G., 1044
Howe, M.A., 1714
Howe, A.A., 779
Howitt, A.J., 258
Hoy, M.A., 1161, 1377
Hsieh, C.Y., 1559
Huddleston, E.W., 87
Hudson, W.G., 961
Hughes, P.B., 553
Hull, L.A., 620, 1130
Huxster, W.T., 1676

Ibrahim, Y.B, 7
Ignoffo, C.M., 334
Ingemansen, J.A., 518
Ingle, S.J., 1406
Iseki, A., 1192
Ishaaya, I., 596, 1621
Iwata, Y., 281

Jackson, J.J., 114
James, D.G., 1477
Jang, E.B., 558, 700
Jany, C.S., 1343
Jarvis, J.L., 243, 764, 1492
Jenkins, J.N., 277

Johnson, D.L., 181
Johnson, M.W., 718
Johnston, A.M., 1439
Jones, A.S., 1121
Jones, D., 1156
Jones, D., 1226
Jones, G.L., 323
Jones, V.P., 67

Kantack, B.H., 749
Karel, A.K., 1692
Kawamoto, D.S., 864
Kehat, M., 1641
Khan, S.N., 271, 928
Kido, K., 67, 714
Kieckhefer, R.W., 749
King, E.G. Jr., 1343
King, E.G., 541
Kishaba, A.N., 39
Kitzmiller, J., 940
Klein, M.G., 84
Kienke, J.R., 1076
Knapp, F.W., 1010, 1294
Knight, A.L., 1516
Knowles, C.O., 7
Knutson, A.E., 1385
Kobayashi, R.M., 1501
Koch, H.G., 1555
Koehler, P.G., 132, 936, 1023, 1027, 1036, 1280
Kok, L.T., 629, 651, 873
Kok-Yokomi, M.L., 1085
Kolodny-Hirsch, D.M., 731
Komura, M., 864
Korman, A.K., 355
Kreitner, G.L., 1249
Kunz, S.E., 1559, 1564

Ladd, T.L. Jr., 84, 374, 405, 668
Lampert, E.P., 981
Landry, S.V., 600
Landwehr, V.R., 1347
Lapointe, S.L., 1264, 1269
LaSota, J.A., 651
Lasack, F.M., 1697
Laubengayer, J.E., 1230
Leesch, J.G., 1315, 1366, 1583
Legg, D.E., 1055
Leggett, J.E., 1206
Lehane, M.J., 1714
Leigh, T.F., 484, 1069
Leonhardt, B.A., 98, 1050
Leopold, R.A., 1484
Leos-Martinez, J., 1134
Levine, E., 1544
Lewis, B.D., 549
Lewis, E. Jr., 1276
Lidell, M.C., 1372
Li, W.-G., 1466
Linduska, J.J., 497
Liss, W.J., 250
Lohr, J., 1439
Long, G.E., 1681
Loper, G.M., 403
Lorenzen, K., 1401
Loschiavo, S.R., 1111
Lowery, D.T., 1530, 1534
Lumsun, P.F., 523
Lusby, W.S., 128
Lux, K.T., 1459
Lysyk, T.J., 144, 993, 1016

MacCollom, G.B., 459
MacDonald, J.F., 50
Macdonald, J., 1178
Mackey, B.E., 1303
Magnin, M., 1452
Mahr, D.N., 1711
Mail, T.S., 1714
Mailloux, M., 1666
Maio, E.A., 688
Mangan, R.L., 672
Mangini, A., 1676
Manley, D.G., 1539
Marini, R., 471
Marshall, D.B., 318
Martel, P., 414, 721, 978
Mason, C.E., 964
Matioff, N., 1156
Matsumura, F., 571
Matter, J.J., 1573
Maw, H.F.L., 189
McCarty, J.C. Jr., 277
McClurg, S.G., 545
McDonald, L.L., 1366
McDonald, P.T., 392
McDonough, L.M., 922
McGovern, T.P., 98, 374, 654, 1050
McGovern, W.L., 1240
McInnis, D.O., 614, 875, 1501
McIntosh, M.S., 479
McLeod, D.G.R., 978
McNally, P.S., 444
McNew, R.W., 212
McPherson, R.M., 827
Meagher, R.L. Jr., 284, 620, 1130
Mehta, N., 197
Mei, J.V., 323
Meyer, J.R., 1513
Meyerdirk, D.E., 39, 659
Michels, G.J. Jr., 1221
Milio, J., 132, 1036
Milio, J.F., 1280
Miller, C.L., 293
Miller, J.A., 1564
Miller, J.R., 1703
Mills, R.B., 284
Mitchell, E.R., 289
Mitchell, S.R., 952
Mitton, J.B., 1064
Mize, T.W., 42, 176, 664, 1364
Moar, W.J., 1443
Moes, J., 1439
Moore, A., 1703
Moore, R.F., 1206, 1707
Moreland, D.E., 576
Morse, J.G., 59, 282, 311, 565, 1516
Motoyama, N., 576
Mulder, P.G., 368
Mulrooney, J.E., 277

Namken, L.N., 1662
Nanis, S.M., 580
Natwick, E.T., 67
Neal, J.W. Jr., 479
Neal, J.J., 936
Nelson, H.D., 1039, 1299
Ng, S-S., 1385
Niles, G.A., 1372
Nordlander, G., 970
North, R.C., 219
Nowierski, R.M., 888
Nyrop, J.P., 303, 1521,1606

O'Connell, M.V., 1046
O'Keeffe, L.E., 254, 447
Obrycki, J.J., 948
Oehler, D.D., 1564
Ogawa, J.M., 395
Ondarza, R.N., 688
Onstad, D.W., 1421
Oraze, M.J., 1711
Ortiz, M. Jr., 87
Osborne, L.S., 465
Osbrink, W.L.A., 135, 1443
Oseto, C.Y., 355
Ouyang, Y-L., 1377
Overhulser, D.L., 1645
Owens, J.C., 87

Palis, F., 437
Pantoja, A., 1319, 1324
Parker, F.D., 384, 974
Parrott, W.L., 277
Pass, B.C., 511, 1334
Pasteur, N., 1452
Patterson, R.S., 132, 1023, 1027, 1036, 1280
Payne, J.A., 490, 1397
Pedigo, L.P., 233, 769, 1507, 1697
Pemberton, W.M., 395
Pena, J.E., 957
Penman, D.R., 1183
Perich, M.J., 128
Perry, J.N., 1149
Peterson, G.C., 15, 455, 530, 833, 1091
Phillips, J.R., 1430
Phillipsen, W.J., 1347
Pickens, L.G., 1003
Pitre, H.N., 1637
Plant, R.E., 1
Podgwaite, J.D., 1648
Pohronezny, K., 957
Potter, D.A., 1381
Powell, J.E., 1343
Prabhaker, N., 39
Pree, D.J., 318
Press, J.W., 418
Price, J.R., 378, 1406
Proshold, F.I., 541, 641
Pruett, J.H., 1287
Purcell, M., 1624
Puterka, G.J., 378, 1406

Quisenberry, S.S., 785

Rattos, D.A., 553
Ramaswamy, S.B., 571
Randolph, T.C., 1178
Rapusas, H.R., 437
Raupp, M.J., 162
Raymond, M., 1452
Read, N.R., 805
Reagan, T.E., 1404
Redlinger, L.M., 1315, 1366, 1583
Reed, D.K., 943, 1330
Reed, G.L., 943, 1330
Reese, J.C., 984
Reeves, D.L., 518
Reid, B.L., 50
Reierson, D.A., 135
Reinert, J.A., 1073
Reissig, W.H., 329
Renneh, S., 1621
Respicio, N.C., 315
Rester, D.C., 202
Rice, R.E., 395
Richman, D.B., 87
Rinderer, T.E., 18
Ring, D.R., 1653
Ritchot, C., 978
Roach, S.H., 1206
Robbins, J.C., 243, 1492
Roberson, J.L., 76, 79
Robertson, J.L., 684, 1174
Robinson, J.F., 1319, 1324
Robinson, W.H., 400, 431
Rock, G.C., 576
Rodriguez, J.G., 915, 1459
Rose, M.A., 896
Rosenheim, J.A., 1161
Ross, M.H., 338, 426
Roush, R.T., 293, 334, 562, 1178
Royer, T.A., 502
Rubison, R.M., 284
Rufener, G.K. II, 1354
Ruff, J.P., 152
Runstrom, E.S., 1032
Rush, P., 1648
Russell, W.A., 1076, 1492
Russ, O., 1364
Rust, M.K., 135

Sances, F.V., 1217
Sanchez-K, M., 172
Sanders, C.J., 1351
Saxena, R.C., 271, 928
Schaalje, G.B., 181
Schal, C., 1139
Scheffrahn, R.H., 903
Schlilo, K.K., 1010, 1294
Schmidt, C.D., 684
Schmidtmann, E.T., 62
Scholl, P.J., 1125, 1559
Schoonhoven, A.V., 1692
Schotzko, D.J., 224, 447
Schowalter, T.D., 843
Schreiber, F.E., 1085
Schroeder, A.C., 964
Schuster, D.J., 1143
Schuster, M.F., 1118, 1259
Schwinghammer, K.A., 1010, 1294
Scott, J.G., 571
Scott, W.P., 797
Sears, M.K., 54, 1530, 1534
Seawright, J.A., 877, 1413
Sedlacek, J.D., 605, 1254
Segers, J.C., 238
Seward, R.W., 79
Shaoyou, L., 1688
Shapas, T.J., 1613
Shapiro, M., 1174
Sharpe, J.K., 1397
Sharp, J.L., 706
Shavit, N.B., 1641
Shea, P.J., 158
Shelton, A.M., 219, 1658
Showers, W.B., 368
Siebenaler, A.J., 1564
Sikorowski, P.P., 76, 364
Sliverman, J., 1613
Simard, L.-G., 1497
Simonaitis, R.A., 775
Sjodin, K., 970
Slosser, J.E., 378, 1406
Smith, C.M., 1319, 1324
Smith, D.C., 162
Smith, J.W., 797
Smith, K.A., 1711
Smittie, B.J., 877, 1413
Snoddy, E.L., 679
Snodgrass, G.L., 797
Soderstrom, E.L., 1303
Solomon, K.R., 1439
Sorensen, E.L., 421, 1249
Southwick, L.M., 202
Sower, L.L., 1649
Sparks, A.N. Jr., 202
Sparks, A.N., 46
Spittler, T.D., 736
St. Martin, S.K., 1354
Staniand, R., 614
Stanley, B.H., 329
Starling, T.M., 827
Staten, R.T., 87
Stern, V.M., 1217
Stimac, J., 957
Stipe, L.E., 158
Stoltz, R.L., 1688
Stoyer, T.L., 873
Straub, R.W., 359
Sturgeon, K.B., 1064
Suda, D.Y., 1580
Su, N-Y, 903
Sukkestad, D.R., 1583
Summy, K.R., 172, 891, 1662
Sun, C.N., 22
Sunde, M.L., 600
Sutter, G.R., 114, 838
Swift, F.C., 471, 537
Szaro, J.L., 1671

Tabashnik, B.E., 189, 1447, 1703
Talkington, M.L., 1590
Tanaka, K., 571
Tanaka, M., 614
Tappan, W.B., 1082, 1359
Tauber, M.J., 948
Tebbets, J.S., 166, 1039, 1044
Tebbets, J.C., 166, 1044,1299

Tedders, W.L., 490, 709, 857
Teetes, G.L., 455, 530, 833, 1091, 1106, 1603
Temeyer, K.B., 1287
Tepedino, V.J., 974
Teranishi, H.R., 395
Thaung, M., 909
Thimijan, R.W., 1003
Thompson, D.C., 1609
Thompson, M.J., 76, 79
Thoms, E.M., 431
Tilles, D.A., 970
Timper, P., 1096
Tingey, W.M., 71, 948, 1230, 1264, 1269
Tollefson, J.J., 303
Tolley, M.P., 400
Tomphins, G.J., 497
Toscano, N.C., 67, 714
Townsend, L.H., 1254
Treacy, M.F., 238
Troxclair, N.N. Jr., 202
Trumble, J.T., 1443
Tseng, C.T., 1492
Tugwell, N.P., 1430

Undersander, D.J., 1221
Uyemoto, J.K., 395

Vail, P.V., 1039, 1085, 1299
Van Duyn, J.W., 261
Van Steenwyk, R., 444
Vandermeer, J., 299
Vargas, R.I., 864
Vick, K.W., 936
Villavaso, E.J., 76, 79, 1240
Vincent, C., 1497, 1666
Vinson, S.B., 1134
Vittum, P.J., 387
Volden, C.S., 915, 1459

Waddill, V.H., 957
Walker, J.K., 1372
Walibank, B.E., 896
Walmsley, M.H., 238
Walstrom, R.J., 518
Walton, G.S., 1648
Wanchinga, D.M., 999
Waquil, J.M., 455, 530, 833
Ward, C.R., 87
Way, M.O., 1711
Webb, J.C., 1027
Webster, R.P., 1139
Weintraub, J., 1559
Weinzierl, R.A., 1100
Weires, R.W., 359
Werner, R.A., 1121
Weseloh, R.M., 1212
Westigard, P.H., 247, 250
White, J., 1096
White, N.D.G., 1111
Widstrom, N.W., 1390
Wilde, G., 42, 176, 664, 1364
Wildman, T.E., 1617
Williams, H.J., 1134
Williams, K.N., 654
Williams, W.P., 847
Williamson, D.L., 172
Willis, G.H., 202
Wilson, F.D., 229, 350, 1671
Wilson, H.K., 785
Wilson, L.F., 192
Wilson, L.T., 822, 940
Wilson, M.L., 693
Wilson, R.L., 274, 545, 1492
Winston, M.L., 952
Wiseman, B.R., 1390, 1637
Wissink, K.M., 274
Witkowski, J.F., 1595
Witz, J.A., 1406
Wojtas, W.A., 1200
Wolfenbarger, D.A., 172
Womack, C.L., 1110, 1259
Wong, T.T.Y., 614, 1501
Wrensch, D.L., 1472
Wright, J.E., 562
Wright, L.C., 817
Wright, R.E., 128

Xia, J-K, 71
Xinzhi, N., 1688

Yablonski, S., 1621
Yanes, J. Jr., 202
Yeargan, K.V., 1055
Yencho, G.C., 1681
Yin, C.-M., 323
Yonker, J.W., 1032
Young, J.M., 497
Young, J.R., 46
Youngman, R.R., 67

Zaborski, E.R., 1439
Zalom, F.G., 822, 940
Zehnder, G.W., 851
Zehner, J.M., 1315, 1366, 1583
Zettler, J.L., 1315, 1366, 1583
Ziegler, K.E., 764